

Initials \_\_\_\_\_ ID \_\_\_\_\_ FAMID \_\_\_\_\_ Age \_\_\_\_\_

ASSESSOR \_\_\_\_\_ Date \_\_\_\_\_

## Prodromal Screen (Prime) – 5-item

### Prime Screen–Revised-5 (Use card)

The following questions ask about your personal experiences. We ask about your sensory, psychological, emotional, and social experiences. Some of these questions may seem to relate directly to your experiences and others may not. Based on your experiences within the past year, please tell me how much you agree or disagree with the following statements. Please listen to each question carefully and tell me the answer that best describes your experiences.



INTERVIEWER: Use PS-R A Card.

		<u>Def</u> <u>Agr</u>	<u>Some</u> <u>Agr</u>	<u>Slight</u> <u>Agr</u>	<u>Not</u> <u>Sure</u>	<u>Slight</u> <u>Dis</u>	<u>Some</u> <u>Dis</u>	<u>Def</u> <u>Dis</u>
1. SIP003	I think that I have felt that there are odd or unusual things going on that I can't explain.	6	5	4	3	2	1	0
2. SIP006	I have had the experience of doing something differently because of my superstitions.	6	5	4	3	2	1	0
3. SIP007	I think that I may get confused at times whether something I experience or perceive may be real or may be just part of my imagination or dreams.	6	5	4	3	2	1	0
4. SIP011	I think I might feel like my mind is "playing tricks" on me.	6	5	4	3	2	1	0
5. SIP013	I think that I may hear my own thoughts being said out loud.	6	5	4	3	2	1	0

## Scoring PRIME-Screen Revised-5

There are two complementary methods of scoring the PRIME-5, either of which suggest a fuller evaluation for subthreshold or threshold psychosis symptoms should be considered.

1) Sum of the 5 items. The normed scores for the short form are based on the full score equivalency for the long (12-item) form. To score, sum items 1-5 to obtain a total. Find the participants age in the first column, then follow over to the last column (>2SD PRIME-5 equivalency). A participant scoring at or above the total in that column has endorsed a level of symptoms that is 2 standard deviations higher than others his/her age.

PRIME Screen-Revised (11 items) Mean Total Scores and Age NORMS Among Young People Age 11-21 (n=7,053), and their PRIME-5 equivalencies

Age	Total Sample N	Mean PRIME -12	SD PRIME-12	>2SD PRIME -12	>2SD PRIME-5 equivalency
11	683	10.69	12.51	36	19
12	726	9.83	12.00	34	18
13	726	9.15	11.58	32	17
14	748	8.23	10.55	29	16
15	776	7.78	10.31	28	15
16	799	7.46	9.57	27	15
17	734	6.86	9.88	27	15
18	848	7.19	10.25	28	15
19	580	5.43	8.96	23	13
20	297	6.65	9.53	26	15
21+	136	5.48	8.44	23	13
Total	7053	7.97	10.69		

2) Traditional Criteria. On the long (12-item) form, >=one item rated 6 (Definitely Agree) OR >=three items rated 5 (Somewhat Agree) is considered significant (i.e., warranting full evaluation).

Reference: *Calkins ME, Moore TM, Ruparel K, Wolf DH, Gur RC, Gur RE (2019). "Norming" psychosis spectrum symptom endorsements: Age, sex and race standard scores for a brief screening tool in youth, in preparation.*

PSR-A

<b>Definitely Agree</b>	<b>Somewhat Agree</b>	<b>Slightly Agree</b>	<b>Not Sure</b>	<b>Slightly Disagree</b>	<b>Somewhat Disagree</b>	<b>Definitely Disagree</b>
6	5	4	3	2	1	0